

# Cardiac Cath Lab Angiogram Referral



Name: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 DOB: \_\_\_\_\_  
 PHN: \_\_\_\_\_  
 Telephone: \_\_\_\_\_  
 Referral Date: \_\_\_\_\_

**Faxed Referral to include: Referral form, Demographics, Admission /Separation Record, History, ECG, Lab, Echo, ETT, & CXR Reports, Medications &/or MAR**

Fax: 604-875-5142 Phone: 604-875-4669

Referring MD: \_\_\_\_\_  
 Referring tel: \_\_\_\_\_  
 Referring fax: \_\_\_\_\_  
 First Available Cardiologist  or \_\_\_\_\_  
 Specific Cardiologist: \_\_\_\_\_  
 Angiogram / PCI within the last year by  
 Dr. \_\_\_\_\_

Urgency → → → For emergent cases please discuss with the on-call interventionalist 604-875-4111

- Inpatient Hospital:  
 Emergent (done without delay)  
 Urgent (before discharge)  suitable for same day dscharge  
 Outpatient  Elective  
 Semi-urgent: reason \_\_\_\_\_

- Procedure(s) Requested:**
- Diagnostic Catheterization
  - Cath & Possible PCI
  - PCI (cath done)
  - Right Heart Cath
  - Pulmonary Resistance
  - Renal angiogram
  - Aortogram
  - Carotid/4vessel study
  - Biopsy
  - Other \_\_\_\_\_

**Indication:** please provide single best indication and give details if this is an ACS

**Acute Coronary Syndromes**

- STEMI:** If Fibrinolysis:  
 date / time: \_\_\_\_\_  
 Direct PCI (no fibrinolysis)  
 Rescue (failed thrombolysis)  
 Facilitated (thrombolysis + PCI)  
 Post acute STEMI

- NSTEMI or other ACS:**
- troponin / marker+
  - ischemic ECG change (ST or T)
  - equivocal or no marker rise

**ACS Onset date:** \_\_\_\_\_

- ACS Pain or Ischemia:**
- Ongoing (no complete relief)
  - Recurrent (episodic events)
  - Provokable (on stress test)
  - None (acute event settled)

- ACS Medications:**
- ASA: Dose \_\_\_\_\_
  - Plavix: Dose \_\_\_\_\_
  - IV Heparin or  LMWH
  - IV NTG
  - GP IIb/IIIa Inhibitor

- Stable CAD  
 CCS Angina Class:  0  I  II  III  IV
- Valve  aortic  mitral
- CHF NYHA Class: I II III IV
- Dilated CM
- Hypertrophic CM
- Arrhythmia VT/VF  SVT
- Congenital
- Post Transplant
- Research Protocol only
- Other \_\_\_\_\_

**Other risk factors**

- hyperlipidemia
- current smoker
- Height: \_\_\_\_\_
- Weight: \_\_\_\_\_

- Prior non-invasive tests:**
- Not done
  - Pos
  - Neg
  - Unk
  - indeterminate

- Safety :**
- Contrast allergy
  - Warfarin  mechanical valve
  - Metformin
  - Diuretics
  - Renal status
  - Last GFR \_\_\_\_\_ Last creatinine \_\_\_\_\_

- Complexity:**
- None  Diabetes
  - PVD  CHF (current)
  - Prior MI  Hypertension
  - Prior PCI  Prior CABG
  - Shock
  - Other disease limiting survival

- Anticoagulation Risk:**  Low  Intermediate  High
- Stop** Warfarin 4-5 days pre-procedure
  - Dabigatran:** \_\_\_\_\_ Stop 2 days
  - Rivaroxaban:** \_\_\_\_\_ Stop 2 days
  - Bridge** - Thrombosis clinic / GP's office
  - DO NOT** stop Warfarin

- 2<sup>nd</sup> Interventional opinion   
 Opinion Only  Surgical opinion   
 Possible Research Protocol  \_\_\_\_\_

**Referring Physician History &Comments:**

Referring Physician \_\_\_\_\_